Effective date: 13/11/25
Doc. No:

**MSDS-BP302** 

Hy-Labs Cat. No: BP302

### <u>MSDS FORMAT</u> MATERIAL SAFETY DATA SHEET



Replace Doc: NA

1- Product and Company Ident	1- Product and Company Identification				
Product Name	LB BROTH				
Reference number	BP302				
Identified uses	For maintaining and propagating <i>E. coli</i> in molecular microbiology				
	procedures				
Manufacturer	Hy-Laboratories Ltd.				
	Park Tamar, Rehovot, 76326, Israel				
	Tel: 972-8-9366475				
	Fax: 972-8-9366474				

### 2- HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture:

### CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

#### 2.2 Label elements:

### CLP Regulation (EC) No 1272/2008:

Hazard statements:

Non-applicable

### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

### 3- COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

### 3.2 Mixture:

Chemical description: Mixture of substances

### **Components:**

None of the substances contained in the mixture are above the values fixed in Annex II of Regulation (EC) No 1907/2006

### **4- First Aid Measures**

#### 4.1 Description of first aid measures:

Consult a doctor in case of discomfort showing the SDS for the product.

#### By inhalation:

In case of symptoms, move the person affected into fresh air.

### By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet.

### By eye contact:

Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product.

### By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

### 4.2 Most important symptoms and effects, both acute and delayed:

Page 1 of 9	

Doc. No: MSDS-BP302

# Hy-Labs Cat. No: BP302

### <u>MSDS FORMAT</u> MATERIAL SAFETY DATA SHEET



Replace Doc:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

### 5- Fire Fighting Measures

### 5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable, with a low risk of fire due to the flammability characteristics of the product in normal conditions of storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage or use any type of extinguishing agent can be used (ABC Powder, water,...)

### Unsuitable extinguishing media:

Non-applicable

### 5.2 Special hazards arising from the substance or mixture:

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### 6- Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task.

### For emergency responders:

See section 8.

### **6.2 Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

### **6.4 Reference to other sections:**

See sections 8 and 13.

### 7- Handling and Storage

### 7.1 Precautions for safe handling:

### A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

### B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

### C.-Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

### D.-Technical recommendations to prevent environmental risks

		 	 	- 1	 	_	 			
Do	ora 2 of 0									

<u>Doc. No:</u> MSDS-BP302

# Hy-Labs Cat. No: BP302

### <u>MSDS FORMAT</u> MATERIAL SAFETY DATA SHEET



Replace Doc: NA

It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### 8- Exposure Controls, Personal Protection

### **8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

### **8.2** Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

### C.-Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004 +A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material cannot be calculated in advance with total reliability and has therefore to be checked prior to the application.

### D.-Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

Doc. No:

MSDS-BP302

Hy-Labs Cat. No: BP302

### MSDS FORMAT

### MATERIAL SAFETY DATA SHEET

Replace Doc: NA

### E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

### F.- Additional emergency measures

It is not necessary to take additional emergency measures.

### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

### 9- Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Solid

Appearance: Characteristic

Colour: Beige

Odour: Characteristic Odour threshold: Non-applicable \*

Volatility:

Boiling point at atmospheric pressure: Non-applicable \* Vapour pressure at 20 °C: Non-applicable \* Vapour pressure at 50 °C: Non-applicable \* Evaporation rate at 20 °C: Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**Product description:** 

Density at 20 °C: Non-applicable \* Relative density at 20 °C: Non-applicable \* Dynamic viscosity at 20 °C: Non-applicable \* Kinematic viscosity at 20 °C: Non-applicable \* Kinematic viscosity at 40 °C: Non-applicable \* Concentration: Non-applicable \*

pH: 6.8 - 7.2

Vapour density at 20 °C: Non-applicable \*

Partition coefficient n-octanol/water 20 °C: Non-applicable \*

Solubility in water at 20 °C: Non-applicable \* Solubility properties: Non-applicable \* Decomposition temperature: Non-applicable \* Melting point/freezing point: Non-applicable \*

Flammability:

Flash Point: Non-applicable Flammability (solid, gas): Non-applicable \* Autoignition temperature: Non-applicable \*

Page 4 of 9

Doc. No: MSDS-BP302

Hy-Labs Cat. No: BP302

### MSDS FORMAT

### MATERIAL SAFETY DATA SHEET

hylabs

Replace Doc: NA

Lower flammability limit: Non-applicable \* Upper flammability limit: Non-applicable \*

**Explosive (Solid):** 

Lower explosive limit:

Upper explosive limit:

Non-applicable \*
Non-applicable \*

Particle characteristics:

Median equivalent diameter: Non-applicable \*

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Non-applicable \*

Non-applicable \*

Non-applicable \*

Aerosols-total percentage (by mass) of flammable components:

Non-applicable \*

Other safety characteristics:

Surface tension at 20 °C: Non-applicable \* Non-applicable \* Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

### 10- Stability and Reactivity

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

### 11- Toxicological Information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

LD50 oral > 2000 mg/kg (rat)

### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

### A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met
- Corrosivity/Irritability: Based on available data, the classification criteria are not met

Page 5 of 9	
1 Page 1019	

MSDS-BP302

Doc. No:

Hy-Labs Cat. No: BP302

### MSDS FORMAT

### MATERIAL SAFETY DATA SHEET

hylabs

Replace Doc: NA

### B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met
- Corrosivity/Irritability: Based on available data, the classification criteria are not met
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met
  - Contact with the eyes: Based on available data, the classification criteria are not met
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met IARC: Non-applicable
  - Mutagenicity: Based on available data, the classification criteria are not met
  - Reproductive toxicity: Based on available data, the classification criteria are not met
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met
  - Cutaneous: Based on available data, the classification criteria are not met
- F- Specific target organ toxicity (STOT) single exposure: Based on available data, the classification criteria are not met
- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met
  - Skin: Based on available data, the classification criteria are not met
- H- Aspiration hazard:

Based on available data, the classification criteria are not met

#### Other information:

Non-applicable

### Specific toxicology information on the substances:

Not available

### 11.2 Information on other hazards:

### **Endocrine disrupting properties**

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information
Non-applicable

### 12- Ecological Information

The experimental information related to the eco-toxicological properties of the product itself is not available

#### 12.1 Toxicity:

Not available

### 12.2 Persistence and degradability:

Not available

### 12.3 Bioaccumulative potential:

Not available

### 12.4 Mobility in soil:

Not available

### 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

### 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

Page 6 of 9	

Doc. No: MSDS-BP302

### Hy-Labs Cat. No: BP302

### **MSDS FORMAT**

### MATERIAL SAFETY DATA SHEET



Replace Doc: NA

#### 12.7 Other adverse effects:

Not described

### 13- Disposal Information

#### 13.1 Waste treatment methods:

	Code	Description	Waste class (Regulation (EU) No 1357/2014)
I	16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08	Non dangerous

### Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product.

Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions

related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### **14- Transport Information**

### Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

Maritime transport in bulk according to IMO instruments:

14.1 UN number or ID number: Non-applicable 14.2 UN proper shipping name: Non-applicable 14.3 Transport hazard class (es): Non-applicable Labels: Non-applicable 14.4 Packing group: Non-applicable

14.5 Environmental hazards: No

14.6 Special precautions for user

Special regulations: Non-applicable Tunnel restriction code: Non-applicable see section 9 Physico-Chemical properties: Limited quantities: Non-applicable

14.7 Maritime transport in bulk according to IMO instruments: Non-applicable

### Transport of dangerous goods by sea:

With regard to IMDG 39-18:

14.1 UN number or ID number: Non-applicable 14.2 UN proper shipping name: Non-applicable 14.3 Transport hazard class (es): Non-applicable Labels: Non-applicable 14.4 Packing group: Non-applicable

14.5 Marine pollutant: No

14.6 Special precautions for user

Special regulations: Non-applicable

EmS Codes:

Physico-Chemical properties: see section 9 Limited quantities: Non-applicable Segregation group: Non-applicable

Page 7 of 9

<u>Doc. No:</u> MSDS-BP302 Hy-Labs Cat. No: BP302

## MSDS FORMAT

### MATERIAL SAFETY DATA SHEET

hylabs

Replace Doc: NA

14.7 Maritime transport in bulk according to IMO instruments: Non-applicable

### Transport of dangerous goods by air:

With regard to IATA/ICAO 2022:

14.1 UN number or ID number:Non-applicable14.2 UN proper shipping name:Non-applicable14.3 Transport hazard class (es):Non-applicableLabels:Non-applicable14.4 Packing group:Non-applicable

14.5 Environmental hazards: No

14.6 Special precautions for user

Physico-Chemical properties: see section 9

14.7 Maritime transport in bulk according to IMO instruments: Non-applicable

### 15- Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III: Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex

XVII REACH, etc ....): Non-applicable

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### 16- Other Information

#### For In-Vitro use only.

The information in this MSDS is based on current and reliable sources but does not purport to be all inclusive and shall be used only as a guide.

### Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

#### **Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

Page 8 of 9

Doc. No:

MSDS-BP302

Hy-Labs Cat. No: BP302

# MSDS FORMAT MATERIAL SAFETY DATA SHEET



Replace Doc: NA

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

This information cannot be considered a guarantee of the properties of the product; it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products.