

A stylized, light blue DNA double helix structure is shown on the left side of the page, partially enclosed by a dark blue, organic-shaped graphic element that frames the title.

Manufacturing Product List 2024

Hy Laboratories Ltd (hylabs), is Israel's leading developer, manufacturer and distributor of tools for detection and identification of microorganisms and molecular biology products

Hy Laboratories Ltd.

Park Tamar, Rehovot 7670606, Israel

Tel: +972-8-9366475

Fax: +972-8-9366474

Email: hylabs@hylabs.co.il

WHAT

hylabs is the leading diagnostic company in Israel in the field of microbiology specially in infection diseases. For five decades, it has specialized in the development, production and marketing of services and products for the detection and identification of microorganisms. Today the company leads the field through advanced molecular methods such as RT PCR and NGS (Next Generation Sequencing) in the clinical, industrial, research and innovation markets, alongside the continued production of classical tools for conventional culturing methods.



HOW

The products and services offered to the company's customers together with the extensive knowledge and proficiency of our staff are designed to help our customers meet the highest requirements of international and local standards. Our R&D TEAM works closely with leading experts in the field of microbiology and molecular biology, develops and practices the world's most advanced technologies accessible to the market. An internal quality assurance unit oversees all testing performed in laboratories to ensure the accuracy and reliability of the results. The company operates professional customer service and support teams that provide technical assistance both remotely and at the customer's site.



Manufacturing

The department offer a wide product's list, including the development and production of specific products according to customer's requirements in the fields of microbiology and molecular biology, while selecting the methods for their testing and approving. Among the products we specialize in: molecular and biochemical kits, conventional and chromogenic culture media for growing, isolating and identifying bacteria, reagents and products adapted to the requirements of the biotechnology market and more. The production lines meet ISO9001 and ISO13485 standards and include clean rooms, hoods, autoclaves and automatic pouring systems. The department is working on the development of products for the detection and identification of viruses, fungi and bacteria, including multidrug resistant microorganisms as well as a kit for the determination of their resistance mechanisms. We are currently developing means for detecting the COVID-19 corona virus, including the manufacture of a RNA/DNA extraction solution at the request of the Israeli Ministry of Health.



90mm Petri Dishes (PD)

Prepared media in Petri Dishes for the isolation of microorganisms from samples or specimens ready for immediate use. The standard package is 10 dishes per special plastic sleeve. The Petri dishes are of a standard 90 x 15mm size and each dish is provided with printed identification including product name, catalogue number, lot number and expiry date.

Cat.No.	Type of Media	Use
PD580	Acathamoeba Medium	Isolation of <i>Agrobacterium tumefaciens</i>
PD197	ALOA (Agar Listeria)	Isolation and differentiation of <i>Listeria</i> spp. according to specific enzymatic chromogenic reactions
PD055	Baird Parker Base Agar	Isolation, differentiation and enumeration of coagulase positive staphylococci
PD227	BHI + Vancomycin (4 mg/l)	For the screening of Vancomycin resistant enterococci
PD005	Blood Agar Base + 5% Defibrinated Sheep Blood	General use and haemolytic activity
PD079	Bordetella Agar	Isolation of <i>Bordetella pertussis</i> Selective, for the detection of <i>Campylobacter jejuni</i> , <i>C. coli</i> and <i>C. laridis</i>
PD007	Brain Heart Infusion (BHI) Agar	General use
PD083	Brilliant Green Agar	Isolation of <i>Salmonella</i> spp.
PD011	Brucella Agar+5% Defibrinated Sheep Blood	Isolation of <i>Brucella</i> spp. and anaerobic microorganisms
PD161	C. Blood + Gentamycin	Selective agar for detection of <i>Streptococcus pneumoniae</i>
PD162	CDC Blood Agar	Isolation of most fastidious anaerobic microorganisms
PD170	CDC Blood Agar + Amikin	Selective isolation of most fastidious anaerobic microorganisms
PD210	Cetrimide Agar	Selective isolation of the gram-negative bacterium

90mm Petri Dishes (PD)

Cat.No.	Type of Media	Use
PD013	chocolate Bloodg Agar + Supplements	Isolation of Neisseriae and Haemophilus spp.
PD125	CHROMagar Candida	Isolation and differentiation of Candida spp. by specific enzymatic chromogenic reactions
PD418	CHROMagar ESBL	For detection of Gram-negative bacteria producing Extended Spectrum Beta-Lactamase.
PD579	CHROMagar Candida Plus	For the detection and differentiation of major clinical Candida species, including C. auris
PD420	CHROMAGAR KPC	chromogenic media For detection of carbapenem-resistant Enterobacteria
PD309	CHROMagar MRSA	Detection and identification of Methicillin- Resistant S. aureus by specific enzymatic chromogenic reactions
PD517	CHROMagar m SuperCARBA	For Detection and differentiation of Carbapenemase-producing Enterobacteriaceae (CPE)
PD165	CHROMagar Orientation	Isolation and identification of all urinary tract pathogens using specific enzymatic chromogenic reactions
PD409	CHROMAGAR SALMONELLA PLUS	For detection and isolation of Salmonella species including lactose positive Salmonella
PD235	CHROMAGAR STAPH AUREUS	For isolation and direct differentiation of Staphylococcus aureus
PD124	CHROMagar Salcol (Rambach)	For detection and isolation of Salmonella spp. in food samples.
PD475	CHROMagar STEC	For detection of Shiga-Toxin producing E.coli (STEC)
PD434	CHROMagar Strep B	For the direct isolation and identification of Group B Streptococci (S. agalactiae) by specific chromogenic reactions
PD416	CHROMagar VRE	For detection of Van A / Van B VRE (transmissible resistance = VRE faecalis & VRE faecium).
PD093	CNA Columbia Agar + 5%Def. Sheep Blood	Selective agar for detection and differentiation of Gram positive microorganisms by haemolytic reactions General use
PD017	Corn Meal Agar	Isolation and differentiation of pathogenic fungi

90mm Petri Dishes (PD)

Cat.No.	Type of Media	Use
PD022	DNase Test Agar	Production of deoxyribonuclease as an aid for identification of pathogenic staphylococci
PD239	G-C Agar	Susceptibility testing of Niesseria gonorrhoea according to CLSI specifications
PD214	Group A Streptococci Agar (GASA)	Selective isolation and differentiation of Group A Streptococci
PD102	Haemophilus Antibiogramma Agar (HAA)	Antibiotic sensitivity testing for Haemophilus strains according to CLSI specifications
PD189	Helicobacter Pylori Selective Agar	Selective isolation of H. pylori
PD063	Hy-Campylobacter Medium	Selective, for the detection of Campylobacter jejuni, C. coli and C. laridis
PD077	Hy-Campylobacter Medium BF	Blood free,selective, for the detection of Campylobacter jejuni, C. coli and C. laridis
PD073	Hy-Legionella Medium (BCYEa)	Isolation of Legionella pneumophilia
PD074	Hy-Legionella Medium (BCYEa-CCV) + GVPC	Selective isolation of Legionella pneumophilia
PD179	LB Agar	Maintaining and culture of recombinant strains of E. coli
PD178	LB + Ampicillin (100mg/l)	Maintaining and cultivating recombinant strains of E.coli
PD221	LB + Ampicillin (200mg/l)	Maintaining and culture of recombinant strains of E. coli
PD219	LB + Kanamycin (50mg/l)	Maintaining and culture of recombinant strains of E. coli
PD032	MacConkey Agar	Differentiation of Enterobacteriaceae
PD033	Mannitol Salt Agar	Isolation and differentiation of Staphylococci
PD472	MDR Acinetobacter Agar	For detection and differentiation of Acinetobacterbaumannii
PD379	MIDDLEBROOK 7H 11 + OADC	For isolation of Mycobacteria
PD035	Mueller Hinton Agar (MH)	Antibiotic susceptibility testing according to CLSI specifications
PD037	Mueller Hinton Agar +Def .sheep blood	Susceptibility testing of fastidious microorganisms according to CLSI specifications
PD176	Mueller Hinton Agar +2% NaCl	Isolation and differentiation of Methycillin resistant S. aureus (MRSA)

90mm Petri Dishes (PD)

Cat. No.	Type of Media	Use
PD255	MH. + NaCl + Oxacillin, MRSA Screening Agar	Screening for MRSA according to CLSI specifications
PD536	NGM Agar	Nematode growth medium (NGM) agar for the maintenance of worm
PD040	Nutrient Agar	General use
PD054	NYC Medium	Selective isolation of Neisseriae spp
PD397	ORT BLOOD AGAR	להשלים שימוש
PD042	Phenylethyl Alcohol Agar+5% Def.Sheep Blood	Selective isolation of Gram positive bacteria from mixed flora
PD149	Plate count Agar (PCA)	Total microbial count in food and other materials of sanitary significance
PD043	Potato Dextrose Agar (PDA)	Isolation of saprophytic and pathogenic fungi
PD166	Potato Dextrose Agar+Yeast extract+Chl	Selective isolation of saprophytic and pathogenic fungi
PD295	R2A Agar	Enumeration of heterotrophic organisms in water according to Standard Methods
PD269	RPMI + MOPS + Glucose Agar	Antifungal susceptibility testing for Candida spp. according to CLSI specifications
PD044	Sabouraud Dextrose Agar (SDA)	Isolation of saprophytic and pathogenic fungi
PD080	SDA + Chloramphenicol	Selective isolation of saprophytic and pathogenic fungi
PD148	SDA IRRADIATED	Isolation of saprophytic and pathogenic fungi
PD068	Simmons Citrate Agar	Citrate as sole carbon source
PD317	Skim Milk Agar	Differentiation of bacteria based on proteolytic activity
PD147	Slanetz Bartley Agar	Isolation and enumeration of Group D Streptococci
PD070	Sorbitol MacConkey Agar	Detection of Sorbitol negative E. coli
PD046	SS Agar	Isolation of Salmonella-Shigella

90mm Petri Dishes (PD)

Cat. No.	Type of Media	Use
PD133	Streptococci Select Medium	Selective isolation of Streptococci spp. and haemolytic
PD087	Tryptic Soy Agar (TSA)	General use
PD139	TSA irradiated	General use to use in controlled areas
PD049	TSBA +5% Def. Sheep Blood	General use and haemolytic activity
PD072	TSBA +5% Def. Sheep Blood + Amikin	Selective isolation of anaerobes
PD206	VRBG	For detection and enumeration of total Enterobacteriaceae
PD104	XLD Agar	Isolation and differentiation of enteropathogens, especially Salmonella-Shigella
PD097	Yersinia enterocolitica Selective Medium	Isolation of Yersinia enterocolitica



Divided Petri Dishes 90mm (DD)

90 x 15mm Petri dishes divided in half down the middle. They may contain the same media on both halves or 2 different media. The standard package is 10 dishes per special plastic sleeve and each dish is provided with printed identification including product name, catalogue number, lot number and expiry date.

Cat. No.	Type of Media	Use
DD007	Aesculin Bile Agar / TSA + 6.5% NaCl	Differentiation of staphylococci and group D Streptococci
DD001	Blood Agar / Blood Agar	General use and haemolytic activity
DD004	Blood Agar / Chocolate Blood Agar + Supplements	Haemolytic activity and isolation of Neisseriae & Haemophilus spp.
DD032	Blood Agar / CHROMagar Orientation	General use and haemolytic activity. Detection and chromogenic identification of urinary tract pathogens
DD003	Blood Agar (TSA) / MacConkey Agar	General use and haemolytic activity and differentiation of Enterobacteriaceae
DD074	Brilliant Green Agar(Modified) /XLD agar	Detection and differentiation of Salmonella and Shigella
DD005	Chocolate Blood Agar + Supp. / NYC	Isolation of Neisseriae & Haemophilus spp.
DD011	Chocolate Blood Agar + Supplements / Chocolate Blood Agar + Supplements	Isolation of Neisseriae & Haemophilus spp.
DD093	CHROMagar Candida/ CHROMagar Candida Plus	For the detection and differentiation of major clinical Candida species ,including C. auris
DD038	CHROMagar Candida /SDA + Chloramphenicol	Isolation and differentiation of Candida spp. / Selective isolation of fungi

Divided Petri Dishes 90mm (DD)

Cat. No.	Type of Media	Use
DD088	CHROMagar Campylobacter /Campylobacter B.F	CHROMagar Campylobacter for the direct detection, identification and enumeration of thermotolerant Campylobacter /Campylobacter B.F-inhibits growth of Pseudomonas, Proteus, Streptococcus, Staphylococci and Candida species
DD066	CHROMagar Staph Aureus/ CHROMagar MRSA	Detection and differentiation of S. aureus by enzymatic chromogenic reactions/ Detection and differentiation of MRSA by enzymatic chromogenic reactions.
DD071	CHROMagar Salmonella Plus / XLD Agar	Chromogenic detection of all Salmonella (including Lactose Positive) / Isolation and differentiation of enteropathogens, especially Salmonella-Shigella)
DD048	CNA Columbia + Blood / MacConkey Agar	Isolation and identification of urinary tract pathogens by haemolytic and biochemical reactions
DD027	DTM / SDA + Chloramphenicol +Actidione	Isolation and differentiation of pathogenic fungi / Isolation of pathogenic fungi
DD019	DTM Agar / DTM Agar	Highlyselective isolation and differentiation of pathogenic fungi
DD002	MacConkey Agar / MacConkey Agar	Selective detection and differentiation of Enterobacteriaceae
DD057	MacConkey Agar / CHROMagar Orientation	Selective differentiation of Enterobacteriaceae and Gram positive urinary tract pathogens by biochemical and enzymatic reactions
DD014	MacConkey Agar / Sorbitol MacConkey Agar	Differentiation of Enterobacteriaceae / Isolation of Sorbitol negative E. coli
DD015	MacConkey Agar/ XLD Agar	Selective differentiation of Enterobacteriaceae / Isolation of Salmonella – Shigella
DD017	SS Agar / XLD Agar	Isolation of Salmonella – Shigella
DD092	STREP. SELECTIVE /STREP. SELECTIVE+BACITRACIN	Used primarily for the isolation and identification of Group A Streptococci (Streptococcus pyogenes)
DD037	TSA + Blood / Strep Select. Blood Agar	General use and haemolytic activity / Selective isolation of streptococci and haemolytic activity



Petri Dishes 50mm (LD)

prepared Media in 50mm Petri dishes

Cat. No	Type of Media	Use
LD574	Bile esculin azide Agar	Differentiation of Group D Streptococci
LD506	M-Endo Agar Les	Recommended for tests of coliforms in water, dairy products and foods by the membrane filtration method
LD525	M-Enterococcus Agar	Selective medium for enumeration of Enterococci spp. in water and food
LD507	M-FC Agar	Identification of faecal coliforms by the membrane filtration method
LD531	M-HPC	For enumeration of heterotrophic microorganisms in water
LD538	M-Green Agar	Detection and enumeration of yeast and molds in beverages - ISO 10718:2002
LD505	Modified M-PA Agar	Selective recovery and enumeration of <i>Pseudomonas aeruginosa</i> from water
LD576	NGM Agar	Nematode growth medium (NGM) agar for the maintenance of worms
LD534	Nutrient Agar + MUG	For the rapid detection of β -glucuronidase from <i>E. coli</i>
LD529	R2A AGAR	For enumeration of heterotrophic microorganisms in water For isolation of fungi
LD502	SDA + Chloramphenicol	Selective isolation of opportunistic and pathogenic fungi
LD547	SP-4 AGAR	For Isolation and Cultivation of Mycoplasmas and Growth of Fastidious Organisms.
LD537	TSA (USP) IR.	For the preparation and maintenance of test strains used in growth promotion tests, suitability of the counting methods and as negative controls as described in the Harmonized USP/EP/JP.



Contact Plates (CD)

Available in a variety of media for the pharmaceutical, cosmetic and food industries.

Cat. No.	Type of Media	Use
CD013	SDA + Lecithin + Polysorbate 80 (irradiated)	Double wrapped for the detection and enumeration of yeasts & molds containing neutralizers to inactivate disinfectant residuals
CD011/L	TSA + Lecithin + Polysorbate 80 (irradiated)	Double wrapped, for the enumeration of microorganisms in surfaces of sanitary importance, containing neutralizers to inactivate disinfectant residuals



Tubed Media (TT)

Liquid media for different purposes and solid media prepared in slant or butt form, according to the procedure most commonly used. The media is provided in screw-capped tubes or in a tube with a special stopper in different lengths and diameters. The standard packaging is 20 tubes/ carton.

Cat.No	Type of Media	Use
TT403	ASL Buffer	Used primarily in the extraction and purification of DNA from stool samples
TT258	Azide Dextrose Broth ADB (DX2)	Cultivation of Streptococci in water and wastewater
TT145	Aesculin Bile Agar (100X13), slanted	Differentiation of Group D Streptococci
TT259	Azide Dextrose Broth ADB (DX1)	Cultivation of streptococci in water and wastewater
TT150	Blood Agar Base+5% Def. Sheep Blood, slanted	General use, stock of streptococci
TT234	Brain Heart Infusion Agar + Chloram. slanted	Selective isolation of fungi
TT244	Brain Heart Infusion Broth	General use
TT244/30	Brain Heart Infusion Broth, 30ml	For CRAB
TT170	Brain Heart Infusion Broth + 15% Glycerol	General use & frozen stock
TT151	Brain Heart Infusion Broth + Serum	General use
TT257	Brilliant Green Bile 2% (B. G. Bile 2%)	Confirming of coliforms in water

Tubed Media (TT)

Cat. No.	Type of Media	Use
TT389	BUFFERED NAACL PEP.PH 7, 10ML	For the preparation, transport, and analysis of microbial samples
TT286	DERMATOPHYTE AGAR	For the detection and presumptive identification of dermatophytes from clinical and veterinary Specimens
TT256	E. C. Medium	Differentiating and enumerating of coliforms in water and waste water
TT137	Fluid Thioglycollate Medium (13 x 140 mm)	General use, cultivation of anaerobes (USP, EP, JP)
TT146	Hy Enterotest	Differentiation of Enterobacteriaceae by enzymatic and biochemical reactions
TT279/F	Hy Transport + Beads	For transport and long storage of fastidious microorganisms on glass beads at frozen temperature
TT039	Kligler Iron Agar (Lac, Glu, Gas, H ₂ S)	Differentiation of Enterobacteriaceae
TT255	Lauryl Tryptose Broth (LTB LX1)	Detection of coliforms in water and waste water.
TT254	Lauryl Tryptose Broth (LTB LX2)	Detection of coliforms in water and waste water.
TT326	Lim Broth (Todd Hewitt Broth + NAL + Colistin)	Selective enrichment for Streptococci
TT390	Lim Quick STREP B	For rapid detection of Streptococcus agalactiae from swabs.
TT354	Listeria Fraser Broth, 10ml	Enrichment medium for the isolation of Listeria spp.
TT402	LOWENSTEIN - JENSEN (LJ W. GLYC. PACT)	.For he cultivation and isolation of Mycobacterium spp
TT152	Lysine Iron Agar (LDC, LDA, H ₂ S, Indole)	Differentiation of Enterobacteriaceae
TT143	MIO MEDIUM	Differentiation of Enterobacteriaceae
TT533	MSRV SUPPLEMENT (NOVOBIOCIN 3MG/VIAL)	Used to enhance the selectivity of the Modified Semi-Solid Rappaport-Vassiliadis (MSRV) medium for the isolation and detection of Salmonella species

Tubed Media (TT)

Cat. No.	Type of Media	Use
TT192	PDA+Chloram.+ Actidione (150 x 16 mm)	Isolation of pathogenic fungi
TT345	Phenol Red Base	General use
TT260	R-2A Agar	Enumeration of heterotrophic microorganisms in water
TT251		Selective enrichment of Salmonella.
TT128	SABOURAUD DEXTROSE AGAR + CHL(100*13)	Selective isolation of saprophytic and pathogenic fungi
TT197	SABOURAUD DEXTROSE AGAR +CHL	Selective isolation of fungi
TT221	SABOURAUD DEXTROSE BROTH	For cultivation of yeasts and molds
TT243	Saline Isotonic Solution	General use
TT167	SDA+CHL+ACTD (SLANTED)	For the selective detection of pathogenic fungi
TT130	SELENITE BROTH (100*13)	For selective enrichment of Salmonella spp
TT134	Simmons Citrate Agar	Citrate as sole carbon source
TT148	Stock Agar (slanted)	General use
TT326	Todd Hewitt Broth (Colisti and NAL-LIM Broth)	Improved Todd Hewitt Broth, selective for Gram positive bacteriae (Group B streptococci).
TT139	Tryptic Soy Broth (13X100 mm)**	Multipurpose medium that supports the growth of a wide variety of microorganisms (USP, EP, JP)
TT211	Tryptic Soy Broth (0.5 ml)	General use
TT203	TRYPTIC SOY BROTH,20 ML	For cultivation of fastidious and nonfastidious microorganisms. (USP Compliant)
TT283	TSB, 25ML	General use
TT147	UMI (Urea, Motility, Indole) Medium	Differentiation of Enterobacteriaceae

Blood Culture Bottles (BC)

Blood Culture bottles are provided for aerobic and anaerobic culture.

Cat. No.	Type of Media	Use
BC019/20	Aerobic Tryptic Soy Broth (TSB) + SPS (20ml)	Sterility test of blood and body fluids in children
BC020/20	Anaerobic Fluid Thioglycollate Medium + SPS (20ml)	Sterility test of blood and body fluids in children
BC020/45	Anaerobic Fluid Thioglycollate Medium + SPS (45ml)	Sterility test of blood and body fluids



General Bottled Products (BP)

Liquid and solid bottled media for enrichment, culture of microorganisms and sterility tests. Fresh animal blood, growth factor supplements and sterile diluents solutions for living cells are also available.

Cat. No.	Type of Media	Use
BP555	Buffer NaCl Peptone pH 7.0 + 4% Tween and 0.5% Lecithin	Neutralizing Buffer
BP433	Buffer NaCl Peptone pH=7.0 (BPS)	General use
BP227	Buffered Peptone Water	Used for pre-enrichment of Salmonella spp.
BP285	Chopped Meat Medium	For transport and storage of strict anaerobic microorganisms
BP319	Dilution Water	For microbiological testing
BP424	EDTA 0.5M pH 8	General use
BP717	Ethidium Bromide (0.0625%), 5ml	Fluorescent tag in Molecular Biology laboratories
BP451	Ethidium Bromide (0.1%), 10ml	Fluorescent tag in Molecular Biology laboratories
BP045/L	FILTERED ALCOHOL SOLUTION 70%, 10L	ALCOHOL SOLUTION 70%, FILTERED (0.2µm)
BP313	Fluid D (USP)	Rinse solution with neutralizers for microbiological tests (USP, EP, JP)
BP316	Fluid A (USP)	Rinse solution for microbiological tests (USP, EP, JP)
BP267	Fluid Thioglycollate Medium (FTM)*	Sterility testing of pharmaceutical products, biologics and devices and growth of aerobic, anaerobic and microaerophilic microorganisms (USP, EP, JP)

General Bottled Products (BP)

Cat.No.	Type of Media	Use
BP465	KOH 20% + GLYCEROL, 50ML	Used in microbiology and clinical diagnostics for the preparation and examination of fungal elements in clinical specimens.
BP376	Lactose broth + 0.5% Lecithin + 1% Tween 80	Detect the presence of coliforms containing neutralizers to deactivate residual disinfectants.
BP302	LB Broth	For maintaining and propagating of E.coli in molecular microbiology procedures
BP337	Macconkey Broth (MCB)	Enrichment of Coliforms and Enterobacteriaceae
BP610	Marine Agar	Isolation and enumeration of heterotrophic marine bacteria
BP573	MSRV	Detection of Salmonella
BP437	Nutrient Broth	General use
BP520	PBS pH 7.2	General use
BP655	PBS X1	General use
BP507	PBS X10	General use
BP556	PCR Grade Water (Nuclease Free)	Suitable for Molecular reactions such as PCR and qPCR
BP306	Potato Dextrose Agar	Yeast and molds
BP259	R2A Agar	Enumeration of heterotrophic microorganisms in water
BP029	Sabouraud Dextrose Agar (SDA)**	Isolation of saprophytic and pathogenic fungi
BP290	Sabourand Dextrose Broth	For the cultivation of yeasts and molds
BP375	Sabouraud + 1% Poly80 + 0.5% Lecithin	For the cultivation of yeasts and molds from environmental surfaces

General Bottled Products (BP)

Cat. No.	Type of Media	Use
BP494	SDS 10%	General use
BP716	SDS 20%	General use
BP377	Saline+0.05% Polysorbate 80	General use
BP228	SALINE NORMAL SOLUTION (USP)	General use
BP439	SALINE SOL. + 0.1% POLYSORBATE 80	Neutralizing solution
BP214	Selenite Broth	Selective enrichment of Salmonella.
BP461	SP-4 BROTH	For Mycoplasma spp includes Mycoplasma pneumonia
BP032	Standard Methods Agar (SMA)	Total count of microorganisms in food as recommended by APHA
BP268	Sterilized R.O.Water	STERILIZED R.O. (DEIONIZED) WATER
BP509	TAE X50 , 500ML	concentrated stock solution used primarily in molecular biology for agarose gel electrophoresis of DNA and RNA.
BP752	Toluidine Blue 0.05% + Triton-X100 0.5% 500 ml	Blue dye
BP493	TRIS HCL 1M PH 7.5	used in molecular biology, biochemistry, and related fields for stabilizing pH in various applications.
BP034	Tryptic Soy Agar	Total Count of microorganisms in Pharmaceutical, Cosmetic and Health Care industries
BP266	TRYPTIC SOY BROTH (USP)	for cultivation of aerobic bacteria and fungi. (USP/EP/JP (Compliance
BP374	TSA + 1%Polys.80 + 0.5% Lecithin	Total count of microorganisms containing neutralizers to inactivate residual disinfectants for Pharmaceutical, Cosmetic and Health Care industries
BP362	TSB + 0.07%Lecithin + 0.5% Polysorbate 80	Multipurpose medium containing neutralizers
BP731	ULTRA PURE WATER (NUCLEASE FREE)	0.2µm filtered.
BP210	VRBA	Selective medium for detection, enumeration and identification of coliforms



Sampling bottles

For sterile water sampling. Containing sodium thiosulfate in order to neutralize the chlorine

Transparent, no scale marks, round shape-Prigat, Irradiated

Cat. No.	Type of Media
BP415/500T	500ml PET bottle with 10%
BP415/5GE	Thiosulphate 500 ml PET empty bottle
BP318/125T	125ml PET bottle with 10% Thiosulphate

Transparent, with scale marks, Square shape, Irradiated

Cat. No.	Type of Media
BP415/50ME	Sampling bottle 500ml, Empty, Irr.
BP415/250M	Sampling bottle 250ml, 25mg thio., Irr



Systems for the Transport

Growing and Storage of Microorganisms

A wide range of tubes, cryotubes and systems for the transport and storage of the most fastidious microorganisms.

Cat. No.	Type of Product	Use
BP285	Chopped Meat Medium	For the shipment and storage of most strict anaerobic microorganisms
TT279/F	Hy-Transport	Hy transport with beads. The system allows transport and long storage of most fastidious microorganisms on glass beads at frozen temperatures

Products for Diagnosis and Identification Strips and Caps

Cat. No.	Type of Product	Use
IS001	HY-Indole Test HY-Oxidase	Indole production
IS002	Test	Oxidase reaction

Prepared Stains

Cat. No.	Type of Product	Use
KI5010	Gram Stain Set	Contains the 5 items listed above. Items not sold separately
BP752	Toluidine Blue 0.05% + Triton-X100 0.5% 500ml	Dye Penetration according ASTM F1929-15



Molecular biology

PCR & Real Time PCR (ready mixes, enzymes, kits and more)

Cat.No.	Type of Product	Use
EZ3006	Hy-Taq Ready mix (x2)-1ml	Premixed, ready-to-use solution for PCR reactions. High yields, up to <5kb amplicon length
EZ3007	Hy-Taq Ready mix (x2)-5ml	
EZ300636	Hy-Taq Ready mix (x2)-36ml	
EZ2021	Hy-Fy Mix (x2)-1ml/5ml	Premixed, ready-to-use solution containing High Fidelity DNA Polymerase, for PCR reaction, up to <5kb amplicon length.
EZ2031	Hy-Tiger Mix (x2)-1ml/5ml	Premixed, ready-to-use solution containing Tiger Mix DNA Polymerase for PCR reaction. High fidelity and High yield, up to <20kb amplicon length.
EZ2061	Hy-Long Mix (x2)-1ml/5ml	Premixed, ready-to-use solution containing Long Taq DNA Polymerase for PCR reaction. High fidelity and Long PCR. up to <40kb amplicon length
EZ2041	Hy-Start Hotstart Mix (x2) 1ml	Premixed, ready-to-use solution containing Hotstart Taq DNA Polymerase for PCR reaction. High specificity and sensitivity. up to <5kb amplicon length
EZ2042	Hy-Start Hotstart Mix (x2) 5ml	
EZ2036	Hy-Start Hotstart Mix (x2) 36ml	
ES2102R	SYBR Power Mix (x2) - 5ml/15ml/25ml	A mix for high-performance, high-throughput, high-specificity real-time PCR. Specifically designed for qPCR using SYBR® Green I dye chemistry.
EZ1012	Hy-Taq (5U/uL) + 10xBuffer, dNTPs, Loading dye - 500U Hy-RT - cDNA synthesis	For DNA target amplification up to 5 kb (simple template) in PCR reaction
ER1011/12	kit - Including: RNasin, Oligo (dT), Random Hexamer, dNTPs - 20/100rx	Kit for RT-PCR that delivers increased cDNA yields, high sensitivity, and full-length transcripts in a convenient format.
ET9011	Hy-dNTP's mix, 2.5mM-1ml	RTU aqueous solution at pH 7.0. dNTP's each at a final concentration of 2.5mM. for PCR and other applications.
ET9013	Hy-dNTP's mix, 10mM-1ml	RTU aqueous solution at pH 7.0. dNTP's each at a final concentration of 10mM. for PCR and other applications.
ED3061	Hy-dNTP's set, 100mM-4x0.25ml	For PCR and other applications.

Molecular biology PCR & Real Time PCR (ready mixes, enzymes, kits and more)

Cat. No.	Type of Product	Use
KI 5034I	Hy-Mycoplasma PCR kit	Real Time PCR kit for Detection of Mycoplasma spp. in tissue culture
KI5059-B-1	Self Sampling Fecal Kit	For stool collection for pcr procedures

Enzymes

Cat. No.	Type of Product	Use
EPR9016	Hy-Proteinase K 100mg	Used to digest protein and remove contamination from preparations of nucleic acid
NPR9011S	Hy-Proteinase K (20mg/ml)- RTU solution	
NRN9042S	Hy-RNase A (RTU solution) 100mg/ml	Often used in removing RNA contaminants from DNA or protein samples, and in RNA protection assays.
ERN9046	Hy-RNase A 100mg	RNasin reduces the activity of RNase A-type enzymes in a variety of organisms- commonly used as a precautionary measure in enzymatic manipulations of RNA to inhibit and control for such contaminants.
ER2011	Rnase inhibitor (Rnasin) 1000U	

NA Electrophoresis

Cat. No.	Type of Product	Use
LD9041	6x DNA Loading Dye	Pre mixed loading buffer with two tracking dye for agarose and non denaturing polyacrylamide gel electrophoresis.
GS7011	Hy-View Nucleic Acid Stain (X20,000)	An alternative to the traditional ethidium bromide (EB) stain for detecting nucleic acid in agarose gels.
BP509	TAEX50	A buffer solution used for agarose electrophoresis
BP423	TBEX5	A buffer solution used for agarose electrophoresis



For more information, please contact us:

Microbioly

Efrat Iuria - Sales Manager P +972-73-3704275 M +972-
+972-54-7338326 | efrat@hylabs.co.il

Molecular biology

Inna Hremelin -
Molecular biology sales and marketing manager P M
+972-52-2030811 | innah@hylabs.co.il

Park Tamar, Rehovot, 7670606, Israel
www.hylabs.co.il

